


VIEW: FRONT



STANDARD FEATURES OPENING SIZE GUIDE CUSTOM DESIGN BESPOKE SOLUTIONS. Ø 1020 mm STEELWORK - MAXIMUM OPENING HANDRAILS TYPICAL MAXIMUM PIPE SIZES PLASTIC TWINWALL I/D: Ø 750 mm CONCRETE I/D: Ø 750 mm INTEGRAL TOE CAST-IN S/S SOCKETS







FLOW CONTROL DEVICES

FACTORY FITTED (WHERE PRACTICAL / SAFE FOR TRANSPORT) AS STANDARD S/S FIXINGS & RUBBER SEALS / SEALANTS AS STANDARD





. LOCKING BRACKETS & T-KEY KITS SUPPLIED. S/S FIXINGS & RUBBER SEALS AS STANDARD





DRAWING NOTES

HANDLING A. Weight

MANUFACTURE

DESIGN

of 10kN/M².

s in mm U.O.S

Opening in back wall cast to suit outer dimension of pipe.
 Invert level of pipe can be set to your specification.

Units should be bedded on minimum 150mm thick well compacted Class 6N or 6K* well graded granular material with 50mm topping of fine material (Class 6L*) to ensure units are level and stable. *Manual of contract documents for Highway Works: Volume

(MCHW1) specification for Highway Works, Series 600 (Nov 09).

Weight of concrete is based on 2.4 tonne/m³ +5% is recommended for sizing lifting equipment.

All lifting points shall be used as specified below

DO NOT SCALE DRAWING SPECIFICATION INFORMATION

C. Unit to be lifted as per lifting diagram.

CONCRETE

A. Mix ref: Self-compacting DC4 / DS4 Mix.

Lifting strength based on 2 cubes = 20N/mm Characteristic 28 day cube strength = 50N/mm². Concrete provides Design Chemical Class 4 (DC4) to special Digest 1, Table F2.

REINFORCEMENT
A. Reinforcement to BS EN 13369.
B. Scheduling, dimensions, bends & cutting to BS8666.

Manufacture to BS EN 15258:2008 precast concrete products retaining wall elements, factory production control certificate 0086-CPR-650448 & BS EN 13369.

Cage to be machine tied with steel wire.

Tolerances to BS EN 13369 clause 4.3.1.1.
 Top
 Sides
 Rear
 Rear of Backwall

 Class
 A
 A
 Self - Levelled

Marking, Units shall be indelibly marked to show:

Job reference number & unique product number Unit weight (kg).

Units are designed to withstand a vertical live load surcharge

Design Life as table below * (all cover sizes in mm).

Concrete structure designed to Eurocode 2. Althon have designed concrete units only, the site conditions should be assessed for suitability by the scheme designer

Weight of soil = 18kN/M².

Angle of internal friction = 30 Deg.

Classification -, -All Faces XC3/4

HANDRAIL SPECIFICATION

FABRICATION SPECIFICATION
A. Manufacture IAW EN 1090-2 EXC CLASS 1

Kee Klamp® Galvanised Size 8 Fittings Size 8 48.3mm OD 3.2mm Wall Thickness Galvanised Medium Duty Tube to BS EN 10255.

Factory Stairways, Ladders and Handrails.
Other design loads available on request.
GRP/FRP Handrails also available.

360N/m Design Load as stated in BS 8118, BS 6180, BS 6399 & BS 7818, Civil Engineering Specification for the Water Industry (CESWI) 7th Edition Clause 2.60 Handrails & Balusters & The Engineering Equipment and Materials Users' Association (EEMUA) Publication 105 7th Edition

PROPRIETARY & CONFIDENTIAL Information contained on this drawing is the sole property of JKH Drainage Units Ltd. Any reproduction in part or as a whole without the written permission of JKH Drainage Units Ltd is strictly prohibited.

SERIES 2000 HEADWALL (1250 HIGH) STANDARD & OPTIONAL FEATURES

2645 kg

Material grade is to be: BS EN 10025 S275 Welding to IAW EN 1090-2 PARA 7.5.4 - 7.5.18

All fillet & butt welds to have minimum throat thickness of 6mm and joints fully welded where possible. Ensure vertical flats fully welded both sides where possible All sharp edges and burrs are to be removed.

Remove all weld splatter. Holes by punching are permitted with reaming.
Galvanising process after fabrication to BS EN ISO1461.

Mould reference code. De-mould date.

HEADWALL INSTALLATION





ALUMINIUM STOPLOG SYSTEM



TOTAL WEIGHT (CASTINGS ONLY):

DRAWING TITLE:



DRAWN: WH ISSUE #: 01 | SHEET #: 1 of 1 | DATE: 12/3/24

2000 - 1250